SIRA / TYC

2026 Course Packet
Non-Spin
(Version 5.5.26)

Changes:

1. Course 4 - all roundings are now to starboard
2. Course 11 - is a new configuration

3 Class - Staggered Starting Sequence

GPS Time	SIGNAL	SOUND	COMMENT	FLAGS
6:14	Come Around Signal	Multiple Short Blasts	1 minute before first warning	No Flag
6:15	WARNING	1 Blast	Display Pennant #1	
6:16	PREPARATORY C	1 Blast	Display Prep #1 remains	
6:19	1 MINUTE to C start	1 Blast	Remove Prep #1 remains	
6:20	START C	1 Blast	Remove #1 Display Pennant #2	
6:21	PREPARATORY B	1 Blast	Display prep #2 remains	
6:24	1 MINUTE to B start	1 Blast	Remove prep #2 remains	
6:25	START B	1 Blast	Remove #2 Display Pennant #3	
6:26	PREPARATORY A	1 Blast	Display prep #3 remains	
6:29	1 MINUTE to A start	1 Blast	Remove prep #3 remains	
6:30	START A	1Blast	Remove #3 Display Pennat #4	

Non-Spin Classes

Marks and Courses



Course		Distance	Start	1st		2nd		3rd		4th		5th		6th		7th		Wind (M)
		NM		Mark	NM	Mark	NM	Mark	NM	Mark	NM	Mark	NM	Mark	NM	Mark	NM	
1	A	7.03	C	A-p	2.17	L-s	4.28	G-p	5.54	H-p	6.14	C(Fin)	7.03					N (350°)
	B	5.13	C	A-p	2.17	Gate(C -CB)	4.34	K-p	4.73	C(Fin)	5.13							335-15
2	A	6.53	K	Q-p	2.07	K-p	4.13	O-p	5.33	K(Fin)	6.53							NE(20°)
	B	4.80	K	O-p	1.20	K-p	2.40	O-p	3.60	K(Fin)	4.80							5-35
3	A	6.20	C	P-p	1.73	C-p	3.46	N-p	4.83	C(Fin)	6.20							ENE(45°)
	B	5.47	C	N-p	1.37	C-p	2.74	N-p	4.11	C(Fin)	5.47							25-65
4	A	4.97	J	K-s	0.77	E-s	2.45	Gate(J -CB)	3.43	K-s	4.20	J(Fin)	4.97					ENE(75°)
	B	4.97	J	K-s	0.77	E-s	2.45	Gate(J -CB)	3.43	K-s	4.20	J(Fin)	4.97					50-100
5	A	5.99	L	K-p	0.47	A-p	2.95	Gate(J -CB)	5.06	K-p	5.52	L(Fin)	5.99					SE(135°)
	B	6.4.	L	K-p	0.47	N-p	1.80	L-p	3.20	K-p	3.60	N-p	5.00	L(Fin)	6.40			110-160
6	A	6.39	L	H-s	0.94	X-s	1.96	L-p	3.86	G-p	5.13	L(Fin)	6.39					S (180°)
	B	4.83	L	I-p	1.00	M-p	2.50	L-p	3.10	I-p	4.10	L(Fin)	5.10					160-200
7	A	6.74	L	G-p	1.26	L-p	2.53	A-p	4.63	L(Fin)	6.74							SSW (185°)
	B	4.80	L	G-p	1.26	Gate (L-CB)	2.53	O-p	3.67	L(Fin)	4.80							165-205
8	A	6.34	L	X-p	1.90	L-p	3.81	G-p	5.07	L(Fin)	6.34							SSW (190°)
	B	5.35	L	G-p	1.27	H-p	1.87	L-p	2.82	G-p	4.08	L(Fin)	5.35					170-210
9	A	6.25	L	G-p	1.26	M-p	3.09	Gate(L -CB)	3.72	G-p	4.98	L(Fin)	6.25					SSW (205°)
	B	6.25	L	G-p	1.26	M-p	3.09	Gate (L-C)	3.72	G-p	4.98	L(Fin)	6.25					185-225
10	A	6.42	L	E-p	1.61	H-p	2.86	L-p	3.80	D-p	5.11	L(Fin)	6.42					WSW (220°)
	B	5.23	L	D-p	1.31	L-p	2.62	D-p	3.92	L(Fin)	5.23							200-230
11	A	6.40	L	Bridge Gate	3.20	L(Fin)	6.40											WSW (225°)
	B	6.44	L	E-p	1.61	L-p	3.22	E-p	4.83	L(Fin)	6.44							210-250
12	A	5.81	K	J-s	0.77	M-s	2.02	K-s	2.73	J-s	3.50	K-s	4.27	J-s	5.04	K(Fin)	5.81	WSW (250°)
	B	4.27	K	J-s	0.77	M-s	2.02	K-s	2.73	J-s	3.50	K(fin)	4.27					235-275
13	A	6.72	H	D-s	1.07	J-s	1.75	H-s	2.44	D-s	3.51	H-s	4.58	D-s	5.65	H(Fin)	6.72	W (270°)
	B	4.58	H	D-s	1.07	J-s	1.75	H-s	2.44	D-s	3.51	H(Fin)	4.58					255-300
14	A	5.85	K	C-s	0.40	M-p	1.03	A-p	2.93	M-s	4.82	C-p	5.45	K(Fin)	5.85			NNW (320°)
	B	4.19	K	L-p	0.46	H-s	1.41	J-s	2.10	H-p	2.79	L-s	3.73	K(Fin)	4.19			300-340

START L = G5 C.M.
START C = N6 C.M.
START K = C5 TIVERTON
START J = R4 C.M.
START H = G3 Tiverton

C/B = Comm. Boat
C.M. = Channel Marker

A = N2 COLES RIVER
B = N2 SPAR ISLAND
C = N6 C.M.
D = G1 C.M.
E = MH C.M. Mt. Hope Junction gong
F = C3 C.M.
G = R4 FL. R 4s Bell Common Fence Pt.
H = G3 FL. G 4s Gong Tiverton Shore
I = N4 Tiverton Shore

J = R4 C.M. Lt. Bell Bouy
K = C5 Tanks No. Tiverton
L = G5 C.M. FL G 4s Lt Bouy
M = R8 C.M. Lt. Bell Bouy
N = R10 C.M. Lt. Bell Bouy
O = C9 C.M.
P = G11 C.M. FL G 4s
Q = N2 NEP Fl/R 4s
X = C17 Sak. River
Z = Bridge Stanchion (gate - rounding outside to inside)

Course #1B [Ideal 350°, range 335°-15°], 5.13nm

Course details:

- Start at “C” N6
- Round “A” N2 to port
- Gate C/CB
- Round “K” C5 to port
- Finish at “C” N6

Preferred Short Course - Finish at Gate between “C” and Committee Boat - 4.34nm

Key:

- Start:
- Leg 1
- Leg 2
- Leg 3
- Leg 4



Course #2B [Ideal 20°, range 5°- 35°], 4.8nm

Course details:

Preferred Short Course - After 2 legs, finish between “K” and Committee Boat - 2.4nm

- Start at “K” C5 (strong preference to set the CB at the port end of the line to stay out of the channel)
- Round “O” C9 to port
- Round “K” C5 port
- Round “O” C9 to port
- Finish at “K” C5

Key:

- Start:
- Leg 1
- Leg 2
- Leg 3
- Leg 4



Course #3B [Ideal 45°, range 25°- 65°], 5.47nm

Course details:

- Start at “C” N6
- Round “N” R10 to port
- Round “C” N6 port
- Round “N” R10 to port
- Finish at “C” N6

Preferred Short Course - After 2 legs, finish between “C” and Committee Boat - 2.74nm

Key:

- Start:
- Leg 1
- Leg 2
- Leg 3
- Leg 4



Course #4B [Ideal 75°, range 55°- 100°], 4.97nm

Course details:

- Start at “J” R4
- Round “K” C5 to stb
- Round “E” MH to stb
- Gate at “J” R4/CB
- Round “K” C5 to stb
- Finish at “J” R4

Preferred Short Course - Finish at Gate between “J” and Committee Boat - 3.43nm

Key:

- Start:
- Leg 1
- Leg 2
- Leg 3
- Leg 4
- Leg 5



Course #5B [Ideal 135°, range 110°- 160°], 6.4 nm

Course details:

Preferred Short Course - After 3 legs, finish between “L” and Committee Boat - 3.2nm

- Start at “L” G5
- Round “K” C5 to port
- Round “N” R10 to port
- Round “L” G5 to port
- Round “K” C5 to port
- Round “N” R10 to port
- Finish at “L” G5 (round to port to finish)

Key:

- Start:
- Leg 1
- Leg 2
- Leg 3
- Leg 4
- Leg 5
- Leg 6



Course #6B [Ideal 180°, range 160°- 200°], 4.83nm

Course details:

- Start at “L” G5
- Round “I” N4 to port
- Round “M” R8 to port
- Gate at “L” G5 to port
- Round “I” N4 to port
- Finish at “L” G5

Preferred Short Course - Finish at Gate between “L” and Committee Boat - 2.94nm

Key:

- Start:
- Leg 1
- Leg 2
- Leg 3
- Leg 4
- Leg 5



Course #7B [Ideal 185°, range 165°- 205°], 4.8nm

Course details:

- Start at “L” G5
- Round “G” R4 to port
- Pass-Through Gate “L” G5 /CB
- Round “O” C9 to port
- Finish at “L” G5

Preferred Short Course - Finish at Gate between “L” and Committee Boat - 2.53nm

Key:

- Start:
- Leg 1
- Leg 2
- Leg 3
- Leg 4



Course #8B [Ideal 190°, range 170°- 210°], 5.35nm

Course details:

Preferred Short Course - After 3 legs, finish between “L” and Committee Boat - 2.82nm

- Start at “L” G5
- Round “G” R4 to port
- Round “H” G3 to port
- Round “L” G5 to port
- Round “G” R4 to port
- Finish at “L” G5

Key:

- Start:
- Leg 1
- Leg 2
- Leg 3
- Leg 4
- Leg 5



Course #9B [Ideal 205°, range 185°- 225°], 6.25nm

Course details:

- Start at “L” G5
- Round “G” R4 to port
- Round “M” R8 to port
- Gate “L” G5 / “C” N6
- Round “G” R4 to port
- Finish at “L” G5

Preferred Short Course - After 3 legs, finish between “L” and Committee Boat - 3.72nm

Key:

- Start:
- Leg 1
- Leg 2
- Leg 3
- Leg 4
- Leg 5



Course #10B [Ideal 220°, range 200°- 230°], 5.23nm

Course details:

- Start at “L” G5
- Round “D” G1 to port
- Round “L” G5 to port
- Round “D” G1 to port
- Finish at “L” G5

Preferred Short Course - After 2 legs, finshi between “L” and Committee Boat - 2.62nm

Key:

- Start:
- Leg 1
- Leg 2
- Leg 3
- Leg 4



Course #11B [Ideal 225°, range 210°- 250°], 6.44nm

Course details:

- Start at “L” G5
- Round “E” MH to port
- Round “L” G5 to port
- Round “E” MH to port
- Finish at “L” G5

Preferred Short Course - Finish at Gate between “L” and Committee Boat - 3.22nm

Key:

- Start:
- Leg 1
- Leg 2
- Leg 3
- Leg 4



Course #12B [Ideal 257°, range 235°- 275°], 4.33nm

Preferred Short Course - After 3 legs, finish between “K” and Committee Boat - 2.73nm

Course details:

- Start at “K” C5
- Round “J” R4 to stb
- Round “M” R8 to stb
- Round “K” C5 to stbt
- Round “J” R4 to stb
- Round “K” C5 to stb
- Round “J” R4 to stb
- Finish at “K” C5

Key:

- Start:
- Leg 1
- Leg 2
- Leg 3
- Leg 4
- Leg 5



Course #13B [Ideal 270°, range 255°- 300°], 4.58nm

Course details:

- Start at “H” G3
- Round “D” G1 to stb
- Round “J” R4 to stb
- Round “H” G3 to stb
- Round “D” G1 to stb
- Finish at “H” G3

Preferred Short Course - After 3 legs, finish between “H” and Committee Boat - 2.44nm



Course #14B [Ideal 320°, range 300°- 340°], 4.19nm

Course details:

No short course without moving RC boat

- Start at “K” C5
- Round “L” G5 to port
- Round “H” G3 to stb
- Round “J” R4 to stb
- Round “H” G3 to port
- Round “L” G5 to stb
- Finish at “K” C5

Key:

- Start:
- Leg 1
- Leg 2
- Leg 3
- Leg 4
- Leg 5
- Leg 6