SIRA / TYC

2026 Course Packet
Spinnaker
(Version: 5.5.26)

Changes:

1. Course 4 - all roundings are now to starboard
2. Course 11 - the Mount Hope Bridge Course is now using the bridge stanchions as marks of the course.

3 Class - Staggered Starting Sequence

GPS Time	SIGNAL	SOUND	COMMENT	FLAGS
6:14	Come Around Signal	Multiple Short Blasts	1 minute before first warning	No Flag
6:15	WARNING	1 Blast	Display Pennant #1	
6:16	PREPARATORY C	1 Blast	Display Prep #1 remains	
6:19	1 MINUTE to C start	1 Blast	Remove Prep #1 remains	
6:20	START C	1 Blast	Remove #1 Display Pennant #2	
6:21	PREPARATORY B	1 Blast	Display prep #2 remains	
6:24	1 MINUTE to B start	1 Blast	Remove prep #2 remains	
6:25	START B	1 Blast	Remove #2 Display Pennant #3	
6:26	PREPARATORY A	1 Blast	Display prep #3 remains	
6:29	1 MINUTE to A start	1 Blast	Remove prep #3 remains	
6:30	START A	1Blast	Remove #3 Display Pennat #4	

Spinnaker Classes

Marks and Courses



Course		Distance	Start	1st		2nd		3rd		4th		5th		6th		7th		Wind (M)
		NM		Mark	NM	Mark	NM	Mark	NM	Mark	NM	Mark	NM	Mark	NM	Mark	NM	
1	A	7.03	C	A-p	2.17	L-s	4.28	G-p	5.54	H-p	6.14	C(Fin)	7.03					N (350°)
	B	5.13	C	A-p	2.17	Gate(C -CB)	4.34	K-p	4.73	C(Fin)	5.13							335-15
2	A	6.53	K	Q-p	2.07	K-p	4.13	O-p	5.33	K(Fin)	6.53							NE(20°)
	B	4.80	K	O-p	1.20	K-p	2.40	O-p	3.60	K(Fin)	4.80							5-35
3	A	6.20	C	P-p	1.73	C-p	3.46	N-p	4.83	C(Fin)	6.20							ENE(45°)
	B	5.47	C	N-p	1.37	C-p	2.74	N-p	4.11	C(Fin)	5.47							25-65
4	A	4.97	J	K-s	0.77	E-s	2.45	Gate(J -CB)	3.43	K-s	4.20	J(Fin)	4.97					ENE(75°)
	B	4.97	J	K-s	0.77	E-s	2.45	Gate(J -CB)	3.43	K-s	4.20	J(Fin)	4.97					50-100
5	A	5.99	L	K-p	0.47	A-p	2.95	Gate(J -CB)	5.06	K-p	5.52	L(Fin)	5.99					SE(135°)
	B	6.4.	L	K-p	0.47	N-p	1.80	L-p	3.20	K-p	3.60	N-p	5.00	L(Fin)	6.40			110-160
6	A	6.39	L	H-s	0.94	X-s	1.96	L-p	3.86	G-p	5.13	L(Fin)	6.39					S (180°)
	B	4.83	L	I-p	1.00	M-p	2.50	L-p	3.10	I-p	4.10	L(Fin)	5.10					160-200
7	A	6.74	L	G-p	1.26	L-p	2.53	A-p	4.63	L(Fin)	6.74							SSW (185°)
	B	4.80	L	G-p	1.26	Gate (L-CB)	2.53	O-p	3.67	L(Fin)	4.80							165-205
8	A	6.34	L	X-p	1.90	L-p	3.81	G-p	5.07	L(Fin)	6.34							SSW (190°)
	B	5.35	L	G-p	1.27	H-p	1.87	L-p	2.82	G-p	4.08	L(Fin)	5.35					170-210
9	A	6.25	L	G-p	1.26	M-p	3.09	Gate(L -CB)	3.72	G-p	4.98	L(Fin)	6.25					SSW (205°)
	B	6.25	L	G-p	1.26	M-p	3.09	Gate (L-C)	3.72	G-p	4.98	L(Fin)	6.25					185-225
10	A	6.42	L	E-p	1.61	H-p	2.86	L-p	3.80	D-p	5.11	L(Fin)	6.42					WSW (220°)
	B	5.23	L	D-p	1.31	L-p	2.62	D-p	3.92	L(Fin)	5.23							200-230
11	A	6.40	L	Bridge Gate	3.20	L(Fin)	6.40											WSW (225°)
	B	6.44	L	E-p	1.61	L-p	3.22	E-p	4.83	L(Fin)	6.44							210-250
12	A	5.81	K	J-s	0.77	M-s	2.02	K-s	2.73	J-s	3.50	K-s	4.27	J-s	5.04	K(Fin)	5.81	WSW (250°)
	B	4.27	K	J-s	0.77	M-s	2.02	K-s	2.73	J-s	3.50	K(fin)	4.27					235-275
13	A	6.72	H	D-s	1.07	J-s	1.75	H-s	2.44	D-s	3.51	H-s	4.58	D-s	5.65	H(Fin)	6.72	W (270°)
	B	4.58	H	D-s	1.07	J-s	1.75	H-s	2.44	D-s	3.51	H(Fin)	4.58					255-300
14	A	5.85	K	C-s	0.40	M-p	1.03	A-p	2.93	M-s	4.82	C-p	5.45	K(Fin)	5.85			NNW (320°)
	B	4.19	K	L-p	0.46	H-s	1.41	J-s	2.10	H-p	2.79	L-s	3.73	K(Fin)	4.19			300-340

START L = G5 C.M.
START C = N6 C.M.
START K = C5 TIVERTON
START J = R4 C.M.
START H = G3 Tiverton

C/B = Comm. Boat
C.M. = Channel Marker

A = N2 COLES RIVER
B = N2 SPAR ISLAND
C = N6 C.M.
D = G1 C.M.
E = MH C.M. Mt. Hope Junction gong
F = C3 C.M.
G = R4 FL. R 4s Bell Common Fence Pt.
H = G3 FL. G 4s Gong Tiverton Shore
I = N4 Tiverton Shore

J = R4 C.M. Lt. Bell Bouy
K = C5 Tanks No. Tiverton
L = G5 C.M. FL G 4s Lt Bouy
M = R8 C.M. Lt. Bell Bouy
N = R10 C.M. Lt. Bell Bouy
O = C9 C.M.
P = G11 C.M. FL G 4s
Q = N2 NEP Fl/R 4s
X = C17 Sak. River
Z = Bridge Stanchion (gate - rounding outside to inside)

Course #1 [Ideal 350°, range 335°-15°], 7.03nm

Course details:

- Start at “C” N6
- Round “A” N2 to port
- Round “C-CB” Gate
- Round “G” R4 to port
- Round “H” G3 port
- Finish at “C” N6

Preferred Short Course - After 2 legs, finish between “C” and Committee Boat - 4.28nm

Key:

- Start:
- Leg 1
- Leg 2
- Leg 3
- Leg 4
- Leg 5



Course #2 [Ideal 20°, range 5°- 35°], 6.53nm

Preferred Short Course - After 2 legs, finish between “K” and Committee Boat - 4.13nm

Course details:

- Start at “K” C5 (strong preference to set the CB at the port end of the line to stay out of the channel)
- Round “Q” N2 to port
- Round “K” C5 port
- Round “O” C9 to port
- Finish at “K” C5

Key:

- Start:
- Leg 1
- Leg 2
- Leg 3
- Leg 4



Course #3 [Ideal 45°, range 25°- 65°], 6.2nm

Course details:

- Start at “C” N6
- Round “P” G11 to port
- Round “C” N6 port
- Round “N” R10 to port
- Finish at “C” N6

Preferred Short Course - After 2 legs, finish between “C” and Committee Boat - 3.46nm

Key:

- Start:
- Leg 1
- Leg 2
- Leg 3
- Leg 4



Course #4 [Ideal 75°, range 55°- 100°], 4.97nm

Course details:

- Start at “J” R4
- Round “K” C5 to stb
- Round “E” MH to stb
- Gate at “J” R4/CB
- Round “K” C5 to stb
- Finish at “J” R4

Preferred Short Course - Finish at Gate between “J” and Committee Boat - 3.43nm

Key:

- Start:
- Leg 1
- Leg 2
- Leg 3
- Leg 4
- Leg 5



Course #5 [Ideal 135°, range 110°-160°], 5.99nm

Course details:

- Start at “L” G5
- Round “K” C5 to port
- Round “A” R2 to port
- Gate at “L” G5/CB
- Round “K” C5 to port
- Finish at “L” G5

Preferred Short Course - Finish at Gate between “L” G5 and Committee Boat - 5.06nm

Key:

- Start:
- Leg 1
- Leg 2
- Leg 3
- Leg 4
- Leg 5



Course #6 [Ideal 180°, range 160°-200°], 6.39nm

Course details:

Preferred Short Course - After 3 legs, finish between “L” and Committee Boat - 3.86nm

- Start at “L” G5
- Round “H” G3 to stb
- Round “X” C17 to stb
- Round “L” G5 to port
- Round “G” R4 to port
- Finish at “L” G5

Key:

- Start:
- Leg 1
- Leg 2
- Leg 3
- Leg 4
- Leg 5



Course #7 [Ideal 185°, range 165°- 205°], 6.74nm

Course details:

- Start at “L” G5
- Round “G” R4 to port
- Pass-Through “L” G5 - CB Gate
- Round “A” R2 to port
- Finish at “L” G5

Preferred Short Course - After 2 legs, finish between “L” and Committee Boat - 2.53nm

Key:

- Start:
- Leg 1
- Leg 2
- Leg 3
- Leg 4



Course #8 [Ideal 190°, range 170°- 210°], 6.34nm

Course details:

Preferred Short Course - After 2 legs, finish between “L” and Committee Boat - 3.81nm

- Start at “L” G5
- Round “X” C17 to port
- Round “L” G5 to port
- Round “G” R4 to port
- Finish at “L” G5

Note - course can be shortened at L to port 3.81nm

Key:

- Start:
- Leg 1
- Leg 2
- Leg 3
- Leg 4



Course #9 [Ideal 205°, range 185°- 225°], 6.25nm

Course details:

Preferred Short Course - Finish at Gate between “L” and Committee Boat - 3.72nm

- Start at “L” G5
- Round “G” R4 to port
- Round “M” R8 to port
- Gate “L” G5 / CB
- Round “G” R4 to port
- Finish at “L” G5

Key:

- Start:
- Leg 1
- Leg 2
- Leg 3
- Leg 4
- Leg 5



Course #10 [Ideal 220°, range 200°- 230°], 6.42nm

Course details:

Preferred Short Course - After 3 legs, finish between “L” and Committee Boat - 3.8nm

- Start at “L” G5
- Round “E” MH to port
- Round “H” G3 to port
- Round “L” G5 to port
- Round “D” G1 to port
- Finish at “L” G5

Key:

- Start:
- Leg 1
- Leg 2
- Leg 3
- Leg 4
- Leg 5



Course #11 [Ideal 225°, range 210°- 250°], 6.4 nm

Course details:

No short course

- Start at “L” G5
- Round one of the main stanchions of the Mount Hope Bridge from outside to inside. (e.g. the north stanchion to port, or the south stanchion to starboard)
- Proceed to finish between “L” and RC

Key:

- Start:
- Leg 1
- Leg 2



Course #12 [Ideal 257°, range 235°- 275°], 5.81nm

Preferred Short Course - After 3 legs, finish between “K” and Committee Boat - 2.73nm or after 5 between “K” and Committee Boat - 4.27 nm

Course details:

- Start at “K” C5
- Round “J” R4 to stb
- Round “M” R8 to stb
- Round “K” C5 to stbt
- Round “J” R4 to stb
- Round “K” C5 to stb
- Round “J” R4 to stb
- Finish at “K” C5

Key:

- Start:
- Leg 1
- Leg 2
- Leg 3
- Leg 4
- Leg 5
- Leg 6
- Leg 7



Course #13 [Ideal 270°, range 255°- 300°], 6.72nm

Course details:

- Start at “H” G3
- Round “D” G1 to stb
- Round “J” R4 to stb
- Round “H” G3 to stb
- Round “D” G1 to stb
- Round “H” G3 to stb
- Round “D” G1 to stb
- Finish at “H” G3

Preferred Short Course - After 3 legs, finish between “H” and Committee Boat - 2.44nm or after 5 between “H” and Committee Boat - 4.58 nm

Key:

- Start:
- Leg 1
- Leg 2
- Leg 3
- Leg 4
- Leg 5
- Leg 6
- Leg 7



Course #14 [Ideal 320°, range 300°- 340°], 5.85nm

Course details:

- Start at “K” C5
- Round “C” R6 to stb
- Round “M” R8 to port
- Round “A” R2 to port
- Round “M” R8 to stb
- Round “C” R6 to port
- Finish at “K” C5

Note - no short course

No Short Course, without moving the CB

Key:

- Start:
- Leg 1
- Leg 2
- Leg 3
- Leg 4
- Leg 5
- Leg 6